



MODEL 152SR OPTICAL TURNSTILE

PEREY TURNSTILES

308 Bishop Ave., Bridgeport, CT 06610, USA

Toll Free 877-TURNSTILE

Tel. 203-333-9400

Fax 203-333-9410

www.TURNSTILE.com



Since 1913
5 Year Warranty

GSA

Contract Holder
Contract GS-07F-5982R



MODEL 152SR OPTICAL TURNSTILE



Another in the family of Perey Optical Turnstiles that began with our first model in 1958.

The Model 152SR is designed for use in the most attractive lobbies and corporate headquarters.


The Model 152SR includes an ANSI #304 stainless steel cabinet. It has an array of industrially-hardened aperture controlled sensors that monitor the passageway. The "brain" of the Model 152SR is our new "SuperController".

We have recently added a remote programming feature to our Optical Turnstile controller. Our new "SuperController" can be remotely programmed to meet a customer's changing requirements. This can be accomplished without the need for a factory technician's visit.

When operational requirements change, simply call us with the new requirements and we will e-mail you the new programming, upload and test the new program using a laptop computer.



MODEL 152SR OPTICAL TURNSTILE



Short Form Specification

WEIGHT: 195 lbs. Net - 235 lbs. crated.

COVER: ANSI 304 Stainless steel with #4 brushed finish, .078" thick, 0.25" radii corners, sides 2.5" deep, fully radius'd ends.

CABINET: ANSI 304 stainless steel with a #4B brushed finish. Each wall .078" thick. Electronics housing between turnstile legs with housing access door having two locks. Fully radius'd ends.

OPTICAL TURNSTILE ELECTRONICS: The passageway shall be monitored by an array of 16 industrially hardened water and oil sealed coded infrared sensor arrays and one "SuperController" of the latest generation. Emitters of the coded infra-red signal shall be in the cabinet opposite the primary arm mechanism. The optical turnstile shall be capable of being programmed by the owner for changes in functions and alarms without the need for a factory technician's visit. It shall have intelligence capable of the operational functions and alarm functions listed on the following page.

All of our Optical Turnstiles are programmable to allow the following features:

- Uni-Directional Operation
- Bi-Directional Operation
- Remote "Lockout" Of One Or Both Directions
- Unauthorized Entry Alarm Local and Remote
- Unauthorized Exit Alarm Local and Remote
- Piggy Backing Alarm Local and Remote
- Package Only Entry Alarm Local and Remote
- Package Only Exit Alarm Local and Remote
- Slow Travel Alarm Local and Remote
- Walk Away Alarm Local and Remote
- Crawl Alarm Local and Remote

The Model 152SR can be customized to fit the particular needs of an application. Custom features such as marble tops, added or reduced length and customized reader mounting is available along with customized indicator lights.



MODEL 152SR OPTICAL TURNSTILE

PEREY TURNSTILES

308 Bishop Ave., Bridgeport, CT 06610, USA

Toll Free 877-TURNSTILE

Tel. 203-333-9400

Fax 203-333-9410

www.TURNSTILE.com



Since 1913
5 Year Warranty

GSA

Contract Holder
Contract GS-07F-5982R